

- [16] T. Hong and P. Wang, “Fuzzy interaction regression for short term load forecasting,” Hugo Steinhaus Center, Wroclaw University of Technology, HSC Research Reports HSC/13/14, 2013. [Online]. Available: <https://EconPapers.repec.org/RePEc:wuu:wpaper:hsc1314>
- [17] H. Nie, G. Liu, X. Liu, and Y. Wang, “Hybrid of arima and svms for short-term load forecasting,” *Energy Procedia*, vol. 16, pp. 1455 – 1460, 2012, 2012 International Conference on Future Energy, Environment, and Materials. [Online]. Available: <http://www.sciencedirect.com/science/article/pii/S1876610212002391>
- [18] J. R. Lloyd, “Gefcom2012 hierarchical load forecasting: Gradient boosting machines and gaussian processes,” *International Journal of Forecasting*, vol. 30, no. 2, pp. 369–374, 2014. [Online]. Available: <https://EconPapers.repec.org/RePEc:eee:intfor:v:30:y:2014:i:2:p:369-374>
- [19] B. Zoph, V. Vasudevan, J. Shlens, and Q. Le, “Automl for large scale image classification and object detection,” Available: [go. iec.ch/wpai067](http://arxiv.org/abs/1802.03426). [Accessed: 14 September 2018]. *Notes Notes Notes International Electrotechnical Commission T*, vol. 41, no. 22, p. 919, 2017.
- [20] S. Mahpod and Y. Keller, “Auto-ml deep learning for rashi scripts ocr,” *arXiv preprint arXiv:1811.01290*, 2018.
- [21] F. Ahlgren and M. Thern, “Auto machine learning for predicting ship fuel consumption,” in *ECOS 2018-the 31st International Conference on Efficiency, Cost, Optimization, Simulation and Environmental Impact of Energy Systems*, 2018.
- [22] E. Barreiro, C. R. Munteanu, M. Cruz-Monteagudo, A. Pazos, and H. González-Díaz, “Net-net auto machine learning (automl) prediction of complex ecosystems,” *Scientific reports*, vol. 8, no. 1, p. 12340, 2018.
- [23] S. Theodoridis, *Machine Learning: A Bayesian and Optimization Perspective*, 1st ed. Orlando, FL, USA: Academic Press, Inc., 2015.
- [24] L. Buitinck, G. Louppe, M. Blondel, F. Pedregosa, A. Mueller, O. Grisel, V. Niculae, P. Prettenhofer, A. Gramfort, J. Grobler, R. Layton, J. VanderPlas, A. Joly, B. Holt, and G. Varoquaux, “API design for machine learning software: experiences from the scikit-learn project,” in *ECML PKDD Workshop: Languages for Data Mining and Machine Learning*, 2013, pp. 108–122.
- [25] F. Hutter, H. H. Hoos, and K. Leyton-Brown, “Sequential model-based optimization for general algorithm configuration,” in *Proceedings of the 5th International Conference on Learning and Intelligent Optimization*, ser. LION’05. Berlin, Heidelberg: Springer-Verlag, 2011, pp. 507–523.
- [26] C. Thornton, F. Hutter, H. H. Hoos, and K. Leyton-Brown, “Auto-weka: Combined selection and hyperparameter optimization of classification algorithms,” in *Proceedings of the 19th ACM SIGKDD International Conference on Knowledge Discovery and Data Mining*, ser. KDD ’13. New York, NY, USA: ACM, 2013, pp. 847–855. [Online]. Available: <http://doi.acm.org/10.1145/2487575.2487629>
- [27] I. Guyon, A. Saffari, G. Dror, and G. Cawley, “Model selection: Beyond the bayesian/frequentist divide,” *J. Mach. Learn. Res.*, vol. 11, pp. 61–87, 2010. [Online]. Available: <http://dl.acm.org/citation.cfm?id=1756006.1756009>
- [28] A. Lacoste, M. Marchand, F. Laviolette, and H. Larochelle, “Agnostic bayesian learning of ensembles,” in *Proceedings of the 31st International Conference on Machine Learning*, ser. Proceedings of Machine Learning Research, E. P. Xing and T. Jebara, Eds., vol. 32, no. 1. Beijing, China: PMLR, 2014, pp. 611–619. [Online]. Available: <http://proceedings.mlr.press/v32/lacoste14.html>
- [29] R. Caruana, A. Niculescu-Mizil, G. Crew, and A. Ksikes, “Ensemble selection from libraries of models,” in *Proceedings of the Twenty-first International Conference on Machine Learning*, ser. ICML ’04. New York, NY, USA: ACM, 2004, p. 18. [Online]. Available: <http://doi.acm.org/10.1145/1015330.1015432>
- [30] J. R. Koza, “Genetic programming as a means for programming computers by natural selection,” *Statistics and Computing*, vol. 4, no. 2, pp. 87–112, 1994. [Online]. Available: <https://doi.org/10.1007/BF00175355>
- [31] K. Deb, S. Agrawal, A. Pratap, and T. Meyarivan, “A fast and elitist multiobjective genetic algorithm: NSGA-II,” *IEEE Trans. Evolutionary Computation*, vol. 6, no. 2, pp. 182–197, 2002. [Online]. Available: <https://doi.org/10.1109/4235.996017>
- [32] A. G. C. de Sá, W. J. G. S. Pinto, L. O. V. B. Oliveira, and G. L. Pappa, “RECIPE: A grammar-based framework for automatically evolving classification pipelines,” in *EuroGP*, ser. Lecture Notes in Computer Science, 2017, pp. 246–261.
- [33] D. Dua and C. Graff, “UCI machine learning repository,” 2017. [Online]. Available: <http://archive.ics.uci.edu/ml>
- [34] L. M. Candanedo, “Data driven prediction models of energy use of appliances in a low-energy house,” <https://github.com/LuisM78/Appliances-energy-prediction-data>, 2017.
- [35] L. M. Candanedo, V. Feldheim, and D. Deramaix, “Data driven prediction models of energy use of appliances in a low-energy house,” *Energy and Buildings*, vol. 140, pp. 81 – 97, 2017. [Online]. Available: <http://www.sciencedirect.com/science/article/pii/S0378778816308970>
- [36] P. Baronti, P. Pillai, V. W. Chook, S. Chessa, A. Gotta, and Y. F. Hu, “Wireless sensor networks: A survey on the state of the art and the 802.15. 4 and zigbee standards,” *Computer communications*, vol. 30, no. 7, pp. 1655–1695, 2007.
- [37] F. Hutter, L. Kotthoff, and J. Vanschoren, Eds., *Automatic Machine Learning: Methods, Systems, Challenges*. Springer, 2018, in press, available at <http://automl.org/book>.